INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas Inspection Body

LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : Mc LAREN

Registered user : Sandstone Estates

Official Registered No. :

Manufacturer : J & McLAREN

Boiler No: 767

Working Pressure : 1040 kPa

Test Pressure (Field) : 1300 kPa

This is to certify that the steam generator has been inspected
Internally and externally .
312 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate .

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 2nd 12 Monthly inspection.

N. KRUGER
CP PV 594 / CP B 210

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas Inspection Body

LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : DECAUVILLE

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Chemins De Fer

Boiler No: 2561

Work Pressure : 950 kPa

Test Pressure (Field) : 1187 kPa

This is to certify that the steam generator has been inspected
Internally, externally .
12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate .

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 2nd 12 Monthly inspection.

N. KRUGER
SP PV 3017 CP B 210

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas Inspection Body

LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : LITTLE BESS

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Kerr Sruart & Co Ltd.

Boiler No: 4031

Work Pressure : 952 kPa

Test Pressure (Field) : 1190 kPa

This is to certify that the steam generator has been inspected
Internally, externally,
12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate .

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 2 nd 12 Monthly inspection.

N. KRUGER
CP PV 501 / CP B 210

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas Inspection Body

LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : O&K No 2

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Orrenstein & Koppel

Boiler No: 4102

Working Pressure : 1200 kPa

Test Pressure (Field) : 1500 kPa

This is to certify that the steam generator has been inspected
Internally, externally .
12 monthly inspection.
In compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate .

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 2 nd 12 Monthly inspection.

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas Inspection Body

LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : NGG 16 No 153

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Hunslet Taylor

Boiler No: 7040

Work Pressure : 1250 kPa

Test Pressure (Field) : 1562 kPa

This is to certify that the steam generator has been inspected
Internally, externally.
12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate .

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 2 nd 12 Monthly inspection.

N. KRUGER
CP E/ 501 / CP B 210

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas Inspection Body
LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : NG 4 No 16 KERR STUART

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Kerr & Stuart

Boiler No: 7068

Work Pressure : 1100 kPa

Test Pressure (Field) : 1375 kPa

This is to certify that the steam generator has been inspected
Internally, externally, hydrostatically .
36 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate .

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 2 nd 12 Monthly inspection.

N. KRUGER
CP PV 307 / CP B 210

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas
Inspection Body
LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : NGG 16 No 113

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Beyer. Peaccock &Co.Ltd

Boiler No: 9065

Working Pressure : 1253 kPa

Test Pressure (Field) : 1567 kPa

This is to certify that the steam generator has been inspected
Internally, externally,
12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate .

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 2 nd 12 Monthly inspection.

N. KRUGER
GP PV 501 / CP B 210

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas

LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : O & K

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Orenstein & Koppel
(Rebuild 2006-7)Stevesen Machanical

Boiler No: 10311

Work Pressure : 1034 kPa

Test Pressure (Field) : 1293 kPa

This is to certify that the steam generator has been inspected
Internally, externally,
12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate .

Date of Inspection : 12/02/201

Next Inspection Date : 12/02/201 2 nd 12 Monthly inspection.

N. KRUGER
~~CP PV 501~~ / CP B 210/1

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas
Inspection Body
LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : NGG 15 No 17

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Not stated.

Boiler No: 10614

Working Pressure : 1240 kPa

Test Pressure (Field) : 1550 kPa

This is to certify that the steam generator has been inspected
Internally, externally, hydrostatically .
36 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate.

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 2 nd 12 Monthly inspection.

N. KRUGER
PV 561 / CP B 210/1

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas Inspection Body
LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : FELDBAHN

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Henchel & Sohn Kassel

Boiler No: 13379

Work Pressure : 1250 kPa

Test Pressure (Field) : 1562 kPa

This is to certify that the steam generator has been inspected
Internally, externally
12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate .

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 2 nd 12 Monthly inspection.

N. KRUGER
SP PV 691 / CP B 210

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas
LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : RATANGA LITTLE LOCOMOTIVE

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Need more information.

Boiler No: 27762

Work Pressure : 1250 kPa

Test Pressure (Field) : 1562 kPa

This is to certify that the steam generator has been inspected
Internally, externally
12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
Boiler found not acceptable and may not be operated.
Previous documentation on rebuild or repair not available.

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 2 nd 12 Monthly inspection.

N. KRUGER
~~CP PV 501~~ / CP B 210

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas Inspection Body

LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : FOWLER (LEADS) ROLLER

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Fowler

Boiler No: 60260

Work Pressure : 1380 kPa

Test Pressure (Field) : 1725 kPa

This is to certify that the steam generator has been inspected
Internally, externally,
12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate .

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 2 nd 12 Monthly inspection.

N. KRUGER
CP PV 501 / CP B 210

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas Inspection Body

LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : **NG/G 16 No 88**

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Cockerill Seraing

Boiler no: 3268

Design Pressure : 1000 kPa

Test Pressure (Field) : 1250 kPa

This is to certify that the steam generator has been inspected
e.g. Visiual internally and externally inspection.
e.g. 12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate as per the original design coditions.

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 36 Monthly inspection.

N. KRUGER
CP PV 551 / CP B 210

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas Inspection Body

LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : KERR STUART (TAMARA)

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Kerr Stuart & Co Ltd.

Boiler No: 4063

Work Pressure : 950 kPa

Test Pressure (Field) : 1187 kPa

This is to certify that the steam generator has been inspected
Internally, externally .
12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate .

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 2 nd 12 Monthly inspection.

N. KRUGER
CP PV 501 / CP B 210

INDSERVE c.c.
APPROVED INSPECTION AUTHORITY
Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168
sanas
LVUP010
Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : **O & K No 11 (HAYLEY)**

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Openstein & Koppel.

Boiler no: 2510

Design Pressure : 850 kPa

Test Pressure (Field) : 1062 kPa

This is to certify that the steam generator has been inspected
e.g. Visiual internally and externally inspection.
e.g. 12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate.

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 36 Monthly inspection.

N. KRUGER
CP B 391 / CP B 210

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas Inspection Body

LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : **NGG 13 No 49 (Hanomag)**

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Hanomag

Boiler no: 7019

Design Pressure : 1225 kPa

Test Pressure (Field) : 1531 kPa

This is to certify that the steam generator has been inspected
e.g. Visiual internally and externally inspection.
e.g. 12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate as per the original design coditions.

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/201 36 Monthly inspection.

N. KRUGER
~~Gr PV 561~~ / CP B 210

INDSERVE c.c.
APPROVED INSPECTION AUTHORITY
Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168
sanas Inspection Body
LVUP010
Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : **NG 6 LAWLEY 2 NO 96 (Jimmie)**

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Falcon Engine & Car Works

Boiler no: 640321

Design Pressure : 950 kPa

Test Pressure (Field) : 1187 kPa

This is to certify that the steam generator has been inspected
e.g. Visiual internally and externally inspection.
e.g. 12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate.

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 36 Monthly inspection.

N. KRUGER
CP PV 501 / CP B 210

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas Inspection Body

LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : **ARN JUNG**

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : ARTHUR KOPPEL

Boiler no: 847

Design Pressure : 1100 kPa

Test Pressure (Field) : 1375 kPa

This is to certify that the steam generator has been inspected
e.g. Visiual internally, externally inspection and NDT.
e.g. 36 monthly inspection and steaming.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate.

Date of Inspection : 11/02/2013

Next Inspection Date : 11/02/2014 1 st Monthly inspection.

N. KRUGER
CP PV 601 / CP B 210

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas
Inspection Body
LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : **PECKETT**

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Pecket & Sons Ltd.

Boiler no: 2161

Design Pressure : 1250 kPa

Test Pressure (Field) : 1562 kPa

This is to certify that the steam generator has been inspected
Internally , externally inspection and NDT.
12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate.

Date of Inspection : 11/02/2013

Next Inspection Date : 11/02/2014 1 st Monthly inspection.

N. KRUGER
CP PV 501 / CP B 210

INDSERVE c.c.
Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168
sanas
LVUP010
APPROVED INSPECTION AUTHORITY
Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : **BARCLAY**

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Barclay Sons & Co Ltd.

Boiler no: 13103

Design Pressure : 1100 kPa

Test Pressure (Field) : 1379 kPa

This is to certify that the steam generator has been inspected
e.g. 36 Monthly internally , externally inspection and pressure test.
e.g. 36 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate.

Date of Inspection : 11/02/2013

Next Inspection Date : 11/02/2014 1 st 12 Monthly inspection.

N. KRUGER
CP PV 501 / CP B 210

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas
Inspection Body
LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : FOWLER(SANDY)

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : John Fowler

Boiler No: 26833

Working Pressure : 1000 kPa

Test Pressure (Field) : 1250 kPa

This is to certify that the steam generator has been inspected
Internally, externally, hydrostatically and NDT inspected.
36 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.

Date of Inspection : 11/02/2013

Next Inspection Date : 11/02/2014 1 st 12 Monthly insprction.

N. KRUGER
GP PV 501 / CP B 210

INDSERVE c.c.
Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168
sanas inspection body
LVUP010
APPROVED INSPECTION AUTHORITY
Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : **SENTINAL WAGGON No 9178**

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Sentinal Waggon Works Ltd.

Boiler no: 26932

Design Pressure : 880 kPa

Test Pressure (Field) : 1100 kPa

This is to certify that the steam generator has been inspected
e.g. Visiual internally , externally inspection and pressure tested.
e.g. 36 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate.

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 1 st 12 Monthly inspection.

INDSERVE c.c.
Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168
sanas Inspection Body
LVUP010
APPROVED INSPECTION AUTHORITY
Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : **Avosite (SEZELA No 2)**

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Not available.

Boiler no: 64008

Design Pressure : 1100 kPa

Test Pressure (Field) : 1379 kPa

This is to certify that the steam generator has been inspected
e.g. Internal, external inspection and pressure tested.
e.g. 36 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate as per the original design coditions.

Date of Inspection : 12/02/2013

Next Inspection Date : 12/02/2014 1 st / 12 Monthly inspection.

N. KRUGER
CP PV 591 / CP B 210/1

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas Inspection Body

LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : **FOWLER STEAM CRANE**

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : John Fowler

Boiler no: 30117

Design Pressure : 1240 kPa

Test Pressure (Field) : 1550 kPa

This is to certify that the steam generator has been inspected
e.g. Visiual internally and externally inspection and pressure test
e.g. 36 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate as per the original design coditions.

Date of Inspection : 10/02/2013

Next Inspection Date : 10/02/2014 1 st 12 Monthly inspection.

N. KRUGER
SAPVI 501 / CP B 210

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas Inspection Body

LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : **MARSHALL COLONIAL STEAM TRACTOR**

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Marshall Sons & Co Ltd.

Boiler no: 53048

Design Pressure : 965 kPa

Test Pressure (Field) : 1202 kPa

This is to certify that the steam generator has been inspected
e.g. Visiual internally and externally inspection and pressure test
e.g. 36 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate as per the original design coditions.

Date of Inspection : 10/02/2013

Next Inspection Date : 10/02/2014 1 st 12 Monthly inspection.

N. KRUGER
CP PV 501 / CP B 210

INDSERVE c.c.
Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168
sanas
LVUP010
APPROVED INSPECTION AUTHORITY
Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : **NG 6 LAWLEY No 106**

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Falcon Engine & Car Works

Boiler no: 64008

Design Pressure : 1100 kPa

Test Pressure (Field) : 1379 kPa

This is to certify that the steam generator has been inspected
Visiual internally and externally inspection and pressure test
12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.

Date of Inspection : 10/02/2013

Next Inspection Date : 10/02/2014 1st 12 Monthly inspection.

N. KRUGER
CP PV 501 / CP B 210 /i

INDSERVE c.c.

Tel: (011) 391-1290/1518
P.O. Box 4765
Kempton Park 1620
Fax: (011) 972-3168

sanas inspection body

LVUP010

APPROVED INSPECTION AUTHORITY

Offices & Laboratories – 42 Quinine Street, Glen Marais X 1, 1620
Vat No. 4900148216

CERTIFICATE OF CONTINUANCE

User name : **MARSHALL ROLLER**

Registered user : Sandstone Estates

Official Registered No. : To be investigated.

Manufacturer : Marshall Sons & Co Ltd.

Boiler no: 83376

Design Pressure : 965 kPa

Test Pressure (Field) : 1206 kPa

This is to certify that the steam generator has been inspected
Visiual internally and externally inspection and pressure test
12 monthly inspection.
in compliance with the Occupational Health and Safety Act (Act 85) 1993 and P.E.R.
The steam generator may continue to operate.

Date of Inspection : 10/02/2013

Next Inspection Date : 10/02/2014 1 st / 12 Monthly inspection.

N. KRUGER
CP PV 591 / CP B 210